



Owner: Thermocell Sales ApS
No.: MD-23179-EN\_rev1
First issued: 03-10-2023

Issued: 05-12-2023 Valid to: 03-10-2028

3<sup>rd</sup> PARTY **VERIFIED** 

EPD

VERIFIED ENVIRONMENTAL PRODUCT DECLARATION | ISO 14025 & EN 15804







#### Owner of declaration

Thermocell Sales ApS Næssundvej 423 DK - 7960 Karby DK 39628708



**Programme** 

EPD Danmark www.epddanmark.dk



☐ Industry EPD☒ Product EPD

Declared product(s)

Thermocell Loose Wool (Løsuld)

Number of declared datasets/product variations: 1

**Production site** 

Næssundvej 423 DK - 7960 Karby Denmark

Product(s) use

Thermal insulation of wooden buildings and old brick buildings.

**Declared/ functional unit** 

1 kg

Year of production site data (A3)

2022

**EPD** version

Second edition, 05-12-2023: Waste category tables updated and electricity modelling described

**Issued:** 05-12-2023

**Valid to:** 03-10-2028

**Basis of calculation** 

This EPD is developed in accordance with the European standard EN 15804+A2.

Comparability

EPDs of construction products may not be comparable if they do not comply with the requirements in EN 15804. EPD data may not be comparable if the datasets used are not developed in accordance with EN 15804 and if the background systems are not based on the same database.

**Validity** 

This EPD has been verified in accordance with ISO 14025 and is valid for 5 years from the date of issue.

Use

The intended use of an EPD is to communicate scientifically based environmental information for construction products, for the purpose of assessing the environmental performance of buildings.

**EPD** type

⊠Cradle-to-gate with modules C1-C4 and D

□Cradle-to-gate with options, modules C1-C4 and D

 $\square$ Cradle-to-grave and module D

□Cradle-to-gate

□Cradle-to-gate with options

CEN standard EN 15804 serves as the core PCR

Independent verification of the declaration and data, according to EN ISO 14025

□ internal

Third party verifier:

Confr

Guangli Du

Martha Katrine Sørensen EPD Danmark

Life	ife cycle stages and modules (MND = module not declared)															
	Produc	t		ruction cess		Use				End of life			Beyond the system boundary			
Raw material supply	Transport	Manufacturing	Transport	Installation process	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	De-construction demolition	Transport	Waste processing	Disposal	Re-use, recovery and recycling potential
A1	A2	А3	A4	A5	B1	B2	В3	B4	В5	В6	В7	C1	C2	C3	C4	D
X	X	X	MND	MND	MND	MND	MND	MND	MND	MND	MND	X	X	X	X	X





# Product information

#### **Product description**

The main product components are shown in the table below.

Material	Weight-% of declared product
Wood fibers	95
Ammonia polyphosphate	5

# **Product packaging:**

The composition of the sales- and transport packaging of the product is shown in the table below.

Material	Weight-% of packaging
Polyethylene	100

# Representativity

This declaration, including data collection and the modeled foreground system including results, represents the production of Thermocell Loose Wool on the production site located in Denmark. Product specific data are based on average values collected in the period 2022. Background data are based on datasets from the ecoinvent database 3.9.1 and are less than 10 years old. Generally, the used background datasets are of high quality, and most of the datasets are only a couple of years old.

#### **Hazardous substances**

Thermocell Loose Wool does not contain substances listed on the "Candidate List of Substances of Very High Concern for authorisation"

(http://echa.europa.eu/candidate-list-table) '

#### **Essential characteristics**

Thermocell Loose Wool is covered by harmonised technical specification EN 13171. Declaration of performance according to EU regulation 305/2011 is available for all declared product variations.

Further technical information can be obtained by contacting the manufacturer or on the manufacturer's website:

https://Thermocell.dk

Reference Service Life (RSL)

Not included in the study.

**Picture of product(s)** 







# LCA background

# **Declared unit**

The LCI and LCIA results in this EPD relates to 1 kg Thermocell Loose Wool with a lambda-value of 0,037.

Name	Value	Unit
Declared unit	1	kg
Density	26-46	kg/m³
Conversion factor to 1 kg.	1	-

#### **Functional unit**

Not defined.

#### **PCR**

This EPD is developed according to the core rules for the product category of construction products in EN 15804, and EN 16783:2017 cPCR for Thermal Insulation Products.

# **Flowdiagram**

# **Guarantee of Origin – certificates**


No Guarantees of Origin are used in this study.

# Foreground system:

The product is produced using residual electricity mix in the production.

# Background system:

Both upstream and downstream processes are modelled using residual mix.







#### System boundary

This EPD is based on a cradle-to-gate LCA, in which 100 weight-% has been accounted for.

The general rules for the exclusion of inputs and outputs follows the requirements in EN 15804, 6.3.5, where the total of neglected input flows per module shall be a maximum of 5 % of energy usage and mass and 1 % of energy usage and mass for unit processes.

# Product stage (A1-A3) includes:

- A1 Extraction and processing of raw materials
- A2 Transport to the production site
- A3 Manufacturing processes

The product stage comprises the acquisition of all raw materials, products and energy, transport to the production site, packaging and waste processing up to the "end-of-waste" state or final disposal. The LCA results are declared in aggregated form for the product stage, which means, that the sub-modules A1, A2 and A3 are declared as one module A1-A3.

Thermocell in Karby receives the wood pulp (chemi-thermomechanical pulp) from Sweden and the flame-retardant ammonium polyphosphate from Italy. The pulp and the flame-retardant is mixed at Thermocell in Denmark and the loose wool is afterwards prepared for transport with PE packaging.

# Construction process stage (A4-A5) includes:

Modules are not included in this study.

#### Use stage (B1-B7) includes:

Modules are not included in this study.

#### End of Life (C1-C4) includes:

Thermocell loose wool is removed from the building at demolition and transported to waste handling site. There are two end-of-life scenarios presented in this EPD. Both are currently in use.

As the loose wool does not consist of anything harmful to the environment, one end-of-life scenario presented in this EPD is the loose wool being composted.

As an alternative to composting an end-of-life incineration scenario is also presented.

# Re-use, recovery and recycling potential (D) includes:

There is no reuse or recovery included in the scenario for composting. Therefore, there is no impact included in module D.

For the incineration scenario the avoided production of heat and electricity is included in module D.





# LCA results

	ENVIRONMENTAL IMPACTS PER KG											
Parameter	Unit	A1-A3		C	ompostin	g			I	ncineratio	n	
Parameter			C1	C2	C3	C4	D	C1	C2	C3	C4	D
GWP-total	[kg CO <sub>2</sub> eq.]	-1,05E+00	2,27E-02	1,90E-02	2,81E-01	0,00E+00	0,00E+00	2,27E-02	1,90E-02	1,51E+00	0,00E+00	-4,64E-01
GWP-fossil	[kg CO <sub>2</sub> eq.]	9,56E-01	2,27E-02	1,90E-02	2,36E-02	0,00E+00	0,00E+00	2,27E-02	1,90E-02	1,45E-01	0,00E+00	-4,54E-01
GWP- biogenic	[kg CO <sub>2</sub> eq.]	-2,02E+00	1,06E-05	1,78E-05	2,54E-01	0,00E+00	0,00E+00	1,06E-05	1,78E-05	1,37E+00	0,00E+00	-9,50E-03
GWP-luluc	[kg CO <sub>2</sub> eq.]	3,04E-03	2,81E-06	9,19E-06	9,28E-06	0,00E+00	0,00E+00	2,81E-06	9,19E-06	3,55E-05	0,00E+00	-4,46E-04
ODP	[kg CFC 11 eq.]	3,94E-08	4,62E-10	4,02E-10	3,31E-10	0,00E+00	0,00E+00	4,62E-10	4,02E-10	8,59E-09	0,00E+00	-3,02E-08
AP	[mol H <sup>+</sup> eq.]	4,69E-03	1,95E-04	4,04E-05	2,18E-03	0,00E+00	0,00E+00	1,95E-04	4,04E-05	3,37E-04	0,00E+00	-8,80E-04
EP- freshwater	[kg P eq.]	2,93E-04	1,04E-06	1,31E-06	2,16E-06	0,00E+00	0,00E+00	1,04E-06	1,31E-06	4,07E-05	0,00E+00	-1,22E-04
EP-marine	[kg N eq.]	1,06E-03	9,07E-05	1,02E-05	8,90E-05	0,00E+00	0,00E+00	9,07E-05	1,02E-05	1,37E-04	0,00E+00	-2,18E-04
EP- terrestrial	[mol N eq.]	8,52E-03	9,85E-04	1,04E-04	9,66E-03	0,00E+00	0,00E+00	9,85E-04	1,04E-04	1,27E-03	0,00E+00	-2,46E-03
POCP	[kg NMVOC eq.]	3,39E-03	2,97E-04	6,27E-05	1,02E-04	0,00E+00	0,00E+00	2,97E-04	6,27E-05	3,91E-04	0,00E+00	-7,19E-04
ADPm <sup>1</sup>	[kg Sb eq.]	3,74E+01	4,96E-01	4,16E-01	2,75E-01	0,00E+00	0,00E+00	4,96E-01	4,16E-01	7,78E-01	0,00E+00	-7,51E+00
ADPf <sup>1</sup>	[MJ]	5,81E-06	9,82E-09	6,04E-08	9,30E-08	0,00E+00	0,00E+00	9,82E-09	6,04E-08	1,95E-07	0,00E+00	-3,17E-06
WDP <sup>1</sup>	[m³ world eq. deprived]	1,48E+00	6,68E-04	1,10E-03	1,05E-03	0,00E+00	0,00E+00	6,68E-04	1,10E-03	3,44E-03	0,00E+00	-7,12E-02
Caption	GWP-total = Global Warming Potential - total; GWP-fossil = Global Warming Potential - fossil fuels; GWP-biogenic = Global Warming Potential - biogenic; GWP-luluc = Global Warming Potential - land use and land use change; ODP = Ozone Depletion; AP = Acidification; EP-freshwater = Eutrophication – aquatic freshwater; EP-marine = Eutrophication – aquatic marine; EP-terrestrial = Eutrophication – terrestrial; POCP = Photochemical zone formation; ADPm = Abiotic Depletion Potential – minerals and metals; ADPf = Abiotic Depletion Potential – fossil fuels; WDP = water depletion potential  The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*10² or 195, while 1,12E-11 is the same as 1,12*10′ or 0,0000000000112.											
Disclaimer	<sup>1</sup> The resu	ılts of this env	rironmental ir	ndicator shall	be used with		uncertainties dicator.	on these resi	ults are high o	or as there is	limited exper	ienced with

	ADDITIONAL ENVIRONMENTAL IMPACTS PER KG											
Parameter	Unit	44.40		C	Compostin	g		Incineration				
Parameter		A1-A3	C1	C2	C3	C4	D	C1	C2	C3	C4	D
PM	[Disease incidence]	5,70E-08	5,50E-09	1,38E-09	1,11E-08	0,00E+00	0,00E+00	5,50E-09	1,38E-09	3,98E-09	0,00E+00	-5,28E-09
IRP <sup>2</sup>	[kBq U235 eq.]	1,86E+00	2,37E-04	3,55E-04	2,76E-03	0,00E+00	0,00E+00	2,37E-04	3,55E-04	2,41E-03	0,00E+00	-5,06E-02
ETP-fw <sup>1</sup>	[CTUe]	4,49E+00	1,09E-01	1,12E-01	8,35E+00	0,00E+00	0,00E+00	1,09E-01	1,12E-01	1,99E+00	0,00E+00	-5,18E-01
HTP-c <sup>1</sup>	[CTUh]	3,90E-10	5,74E-12	4,42E-12	1,40E-11	0,00E+00	0,00E+00	5,74E-12	4,42E-12	2,61E-11	0,00E+00	-5,88E-11
HTP-nc <sup>1</sup>	[CTUh]	8,17E-09	1,11E-10	6,79E-11	1,95E-10	0,00E+00	0,00E+00	1,11E-10	6,79E-11	7,31E-10	0,00E+00	-1,24E-09
SQP <sup>1</sup>	-	1,65E+02	1,95E-02	1,58E-01	2,20E-01	0,00E+00	0,00E+00	1,95E-02	1,58E-01	2,03E-01	0,00E+00	-3,14E+00
	PM = Parti	culate Matte					n; ETP-fw = E effects; SQP				n toxicity – ca	ancer effects;
Caption	The number	ers are decla	ared in scienti	fic notation, f	x 1,95E+02.		can also be w 00000000112		5*10 <sup>2</sup> or 195,	while 1,12E-	11 is the sam	ne as 1,12*10 <sup>-</sup>
	The results of this environmental indicator shall be used with care as the uncertainties on these results are high or as there is limited experienced with the indicator.  This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not conside effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator.											
Disclaimers										not consider al ionizing		





	RESOURCE USE PER KG												
Parameter	Unit	A1-A3		C	Compostin	g		Incineration					
Parameter			C1	C2	C3	C4	D	C1	C2	C3	C4	D	
PERE	[MJ]	5,88E-01	2,10E-03	3,12E-03	4,28E-02	0,00E+00	0,00E+00	2,10E-03	3,12E-03	2,50E-02	0,00E+00	-1,65E+00	
PERM	[MJ]	2,80E+01	5,02E-04	1,02E-03	4,18E-02	0,00E+00	0,00E+00	5,02E-04	1,02E-03	6,57E-03	0,00E+00	-6,81E-01	
PERT	[MJ]	2,85E+01	2,60E-03	4,13E-03	8,46E-02	0,00E+00	0,00E+00	2,60E-03	4,13E-03	3,16E-02	0,00E+00	-2,33E+00	
PENRE	[MJ]	1,68E+00	2,09E-01	1,54E-01	0,00E+00	0,00E+00	0,00E+00	2,09E-01	1,54E-01	0,00E+00	0,00E+00	0,00E+00	
PENRM	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
PENRT	[MJ]	1,68E+00	2,09E-01	1,54E-01	0,00E+00	0,00E+00	0,00E+00	2,09E-01	1,54E-01	0,00E+00	0,00E+00	0,00E+00	
SM	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
RSF	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
NRSF	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
FW	[m <sup>3</sup> ]	2,00E-02	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	
Caption	prim prin resou	PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of non-renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy resources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Net use of fresh water  The numbers are declared in scientific notation, fx 1,95E+02. This number can also be written as: 1,95*10² or 195, while 1,12E-11 is the same as 1,12*10° or 0,0000000000112.											

	WASTE CATEGORIES AND OUTPUT FLOWS PER KG													
Doromotor	Unit	A1-A3		C	ompostin	g			Incineration					
Parameter			C1	C2	C3	C4	D	C1	C2	C3	C4	D		
HWD	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
NHWD	[kg]	5,27E-01	0,00E+00	0,00E+00	1,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	9,50E-01	0,00E+00	0,00E+00		
RWD	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
CRU	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
MFR	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
MER	[kg]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00		
EEE	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	-2,29E+00		
EET	[MJ]	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00	-1,29E+01		
Contina	HWD = Hazardous waste disposed; NHWD = Non-hazardous waste disposed; RWD = Radioactive waste disposed; CRU = Components for reuse; MFR = Materials for recycling; MER = Materials for energy recovery; EEE = Exported electrical energy; EET = Exported thermal energy													
Caption	The	numbers are	declared in	scientific nota	ation, fx 1,95E		mber can als or 0,00000000		s: 1,95*10 <sup>2</sup> or 1	95, while 1,12	E-11 is the san	ne as 1,12*10 <sup>-</sup>		

	BIOGENIC CARBON CONTENT PER KG							
Parameter	Unit	At the factory gate						
Biogenic carbon content in product	[kg C]	0,41						
Biogenic carbon content in accompanying packaging	[kg C]	0,033						
Note		1 kg biogenic carbon is equivalent to 44/12 kg of CO <sub>2</sub>						





# Additional information

# **LCA** interpretation

The production of wood pulp, which is the dominant part of the insulation product, is the main contributor to the impacts related to this product.

**Technical information on scenarios** 

# End of life (C1-C4)

Scenario information	Composting	Incineration	Unit
Collected separately	1	1	kg
Collected with mixed waste	-	-	kg
For reuse	ı	-	kg
For recycling	ı	-	kg
For energy recovery	-	1	kg
For final disposal	1	-	kg
Assumptions for scenario development	-	-	As appropriate

# Re-use, recovery and recycling potential (D)

Scenario information/Materiel	Composting	Incineration	Unit
Energy recovery from waste incineration	-	15,19	MJ





#### **Indoor air**

The EPD does not give information on release of dangerous substances to indoor air because the horizontal standards on the relevant measurements are not available. Read more in EN15804+A1 chapter 7.4.1.

# Soil and water

The EPD does not give information on release of dangerous substances to soil and water because the horizontal standards on the relevant measurements are not available. Read more in EN15804+A1 chapter 7.4.2.





# References

Publisher	www.epddanmark.dk Template version 2023.1
Programme operator	Danish Technological Institute Buildings & Environment Gregersensvej DK-2630 Taastrup www.teknologisk.dk
LCA-practitioner	Mie Ostenfeldt FORCE Technology Park Allé 345 2605 Brøndby www.forcetechnology.com
LCA software /background data	SimaPro 9.5.0.0 Database - ecoinvent 3.9.1
3 <sup>rd</sup> party verifier	Guangli Du Aalborg University A.C. Meyers Vænge 15 2450 København SV www.aau.dk

# **General programme instructions**

General Programme Instructions, version 2.0, spring 2020 www.epddanmark.dk

#### EN 15804

DS/EN 15804 + A2:2019 - "Sustainability of construction works - Environmental product declarations - Core rules for the product category of construction products"

#### EN 16783

DS/EN 16783:2017 – "Thermal insulation products – Product Category Rules (PCR) for factory made and in-situ formed products for preparing environmental product declarations"

# EN 15942

DS/EN 15942:2011 – " Sustainability of construction works – Environmental product declarations – Communication format business-to-business"

# ISO 14025

DS/EN ISO 14025:2010 – " Environmental labels and declarations – Type III environmental declarations – Principles and procedures"  $\,$ 





# ISO 14040

DS/EN ISO 14040:2008 – " Environmental management – Life cycle assessment – Principles and framework"

# ISO 14044

DS/EN ISO 14044:2008 – " Environmental management – Life cycle assessment – Requirements and guidelines"  $\,$